

Pavers by Ideal®
Stones with Style™

| Traditional Pavers | | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU |
|---|-------------------|-----------|----------|----------|---------------|-----------------|----------------|---------------|--------------|--------------------------|
| Andover Collection™ Smooth or StoneCleft | | 5.5" | 11" | 7 cm | 3.8 sf/set | 2/set | 2 sets/layer | 20 sets/cube | 76 | 2345 lb SM 2290 lb SC |
| | | 11" | 11" | 7 cm | | 2/set | | | | |
| | | 11" | 16.5" | 7 cm | | 1/set | | | | |
| Andover GrandStone™ Smooth or StoneCleft | | 16.5" | 22" | 7 cm | 2.52 sf/pc | --- | --- | 40 | 100.8 | 3235 lb SM 3045 lb SC |
| Andover 5511™ C (Clefted) | | 5.5" | 11" | 7 cm | 2.38 | --- | --- | 240 | 100.84 | 3050 lb |
| Andover 5511™ CT (Clefted & Tumbled) | | 5.5" | 11" | 7 cm | 2.38 | --- | --- | 240 | 100.84 | 3050 lb |
| Andover 5511™ Smooth | | 5.5" | 11" | 7 cm | 2.38 | --- | --- | 240 | 100.84 | 3050 lb |
| Boston Colonial Pavers® | | 4" | 8" | 6 cm | 4.5 | 81 | 18 | 486 | 108 | 2945 lb |
| | | 4" | 8" | 8 cm | 4.5 | 63 | 14 | 378 | 84 | 3095 lb |
| BullNose Coping™ Paver | | 4" | 12" | 6 cm | 3 pcs/lf | 52 | 17.33 lf | 156 | 52 lf | 1410 lb |
| FineLine™ | Square | 6.3" | 6.3" | 6 cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2850 lb |
| | Grand Square | 9.4" | 9.4" | 6 cm | 1.61 | 36 | 22.4 | 180 | 111.8 | 3050 lb |
| | Lg. Rectangle | 6.3" | 9.4" | 6 cm | 2.42 | 54 | 22.3 | 270 | 111.57 | 3045 lb |
| Plaza Pavers™ | 8 x 8 | 8" | 8" | 6 cm | 2.25 | 36 | 16 | 216 | 96 | 2625 lb |
| | 12 x 12 | 12" | 12" | 6 cm | 1 | 27 | 27 | 108 | 108 | 2945 lb |
| | 12 x 12 | 12" | 12" | 8 cm | 1 | 21 | 21 | 84 | 84 | 3095 lb |
| StraightLine™ | | 4.3" | 17.2" | 10 cm | 1.96 | --- | --- | 132 | 67.35 | 3070 lb |
| Symetry® | Master Stone | 4.4" | 11" | 6 cm | 3 | 63 | 21 | 252 | 84 | 2300 lb |
| | Square | 6.3" | 6.3" | 6 cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2850 lb |
| Uni-Anchorlock® | | 8.9" | 8.9" | 8 cm | 2.41 | --- | 11.02 sf/layer | 186 | 77.2 | 2850 lb |
| Uni-Decor® | Full Stones | 5.5" | 9" | 6 cm | 3.5 | 72 | 20.6 | 360 | 102.86 | 2810 lb |
| | | 5.5" | 9" | 8 cm | 3.5 | 56 | 16 | 280 | 80 | 2950 lb |
| Yankee Cobble™ | Square | 6.3" | 6.3" | 6 cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2850 lb |
| | Grand Square | 9.4" | 9.4" | 6 cm | 1.61 | 36 | 22.4 | 180 | 111.8 | 3050 lb |
| | Lg. Rectangle | 6.3" | 9.4" | 6 cm | 2.42 | 54 | 22.3 | 270 | 111.57 | 3045 lb |
| | Med. Rectangle | 4.8" | 6.3" | 6 cm | 4.84 | 63 | 13 | 441 | 91.12 | 2525 lb |
| | Sm. Rectangle | 3.1" | 6.3" | 6 cm | 7.24 | 99 | 13.7 | 693 | 95.72 | 2640 lb |
| | Circle Pak | | | | | | | | | |
| | Sm. Rectangle | 3.1" | 6.3" | 6 cm | --- | 1/layer | --- | 6 | 64.32 | 1785 lb |
| | Med. Rectangle | 4.8" | 6.3" | | --- | 20/layer | --- | 120 | | |
| | Sm. Wedge | --- | --- | | --- | 29/layer | --- | 174 | | |
| | Lg. Wedge | --- | --- | | --- | 3/layer | --- | 18 | | |
| Center Stone | --- | --- | --- | | 1/layer | --- | 6 | | | |
| Z-Stone™ | | 4.5" | 9" | 8 cm | 3.62 | 56 | 15.5 | 280 | 77.35 | 2855 lb |
| Drum-Roll Tumbled™ Pavers | | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU |
| Georgetown Colonial Pavers™ | | 4" | 8" | 6 cm | 4.5 | 81 | 18 | 486 | 108 | 2875 lb |
| MillStone™ | Square | 6.3" | 6.3" | 6 cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2850 lb |
| | Grand Square | 9.4" | 9.4" | 6 cm | 1.61 | 36 | 22.4 | 180 | 111.8 | 3050 lb |
| | Lg. Rectangle | 6.3" | 9.4" | 6 cm | 2.42 | 54 | 22.3 | 270 | 111.57 | 3045 lb |
| | Med. Rectangle | 4.8" | 6.3" | 6 cm | 4.84 | 63 | 13 | 441 | 91.12 | 2525 lb |
| | Sm. Rectangle | 3.1" | 6.3" | 6 cm | 7.24 | 99 | 13.7 | 693 | 95.72 | 2640 lb |
| | Circle Pak | | | | | | | | | |
| | Sm. Rectangle | 3.1" | 6.3" | 6 cm | --- | Bulk Crated | --- | 6 | 64.32 | 1785 lb |
| | Med. Rectangle | 4.8" | 6.3" | | --- | | 120 | | | |
| | Sm. Wedge | --- | --- | | --- | | 174 | | | |
| | Lg. Wedge | --- | --- | | --- | | 18 | | | |
| Center Stone | --- | --- | --- | | 6 | | | | | |
| Newport Cobble™ | Rectangle | 4.5" | 6.5" | 6 cm | 4.63 | 72 | 15.6 | 432 | 93.3 | 2570 lb |
| Town N' Country™ | Square | 6.3" | 6.3" | 6 cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2850 lb |
| | Grand Square | 9.4" | 9.4" | 6 cm | 1.61 | 36 | 22.4 | 180 | 111.8 | 3050 lb |
| | Lg. Rectangle | 6.3" | 9.4" | 6 cm | 2.42 | 54 | 22.3 | 270 | 111.57 | 3045 lb |
| Permeable Pavers | | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU |
| Aqua-Bric® | | 4" | 8" | 6 cm | 4.5 | 81 | 18 | 486 | 108 | 2750 lb |
| Aqua-Bric IV® | | 4.5" | 9" | 8 cm | 3.55 | --- | 11.25 sf/layer | 7 layers | 78.75 | 2700 lb |
| Turfstone™ | 65 lb/pc | 24" | 16" | 8 cm | 2.6 sf/pc | 14 | 36.4 | 56 | 145.6 | 3480 lb |
| Turfstone™ | 76 lb/pc | 24" | 16" | 10 cm | 2.6 sf/pc | --- | --- | 40 | 104 | 2910 lb |
| Uni Eco-Stone® | | 4.5" | 9" | 8 cm | 3.55 | 56 | 15.8 | 280 | 78.87 | 2820 lb |
| Andover 5511™ - All Styles | | See above | | | | | | | | |
| Andover Collection™ - All Styles | | See above | | | | | | | | |

• 6 cm high pavers - 9 Layers/Cube • 8 cm high pavers - 7 Layers/Cube • Approximate weights: 6 cm - 27 lb/sf • 7 cm - 32 lb/sf • 8 cm - 36.5 lb/sf
• 7 cm high pavers - 8 Layers/Cube • 10 cm high pavers - 6 Layers/Cube • Edge pieces are to be field cut
• MillStone Circle Pak is bulk crated • Andover Collection is sold by the set • Weight per cube is approximate and includes the pallet • Yankee Cobble and MillStone Circle Paks are sold by the pallet

Pavers by Ideal®

Walls with Style™

| Retaining Walls & Coping | | H | W | D | PCS/SF | WT/PC | PCS/CU | SF/CU | WT/CU |
|----------------------------------|--------------------------|-------|--------|--------|---------------------------|----------|----------------|-------------------|---------|
| Ancestral™ WallStone | 3" high set | 3" | 16/14" | 10" | .83 sf/set 1.2 sets/sf | 89/set | 30 sets per/cu | 25 | 2705 lb |
| | | 3" | 14/12" | 10" | | | | | |
| | | 3" | 12/10" | 10" | | | | | |
| | 6" high set | 6" | 16/14" | 10" | 1.66 sf/set .6 sets/sf | 145/set | 15 sets per/cu | 25 | 2200 lb |
| | | 6" | 14/12" | 10" | | | | | |
| | | 6" | 12/10" | 10" | | | | | |
| Fat Face™ | Standard Unit | 8" | 18" | 11.25" | 1 | 75 | 45 | 45 | 3600 lb |
| Fat Face™ - 2/3 Scored | 2 Scored / 1 Standard | 8" | 18" | 11.25" | 3sf/3pc set | 75 | 15 sets/cu | 45 | 3600 lb |
| GravityStone® | Split-Face Unit | 8" | 18" | 6" | 1 | 59 | 64 | 64 | 3800 lb |
| | Tumbled-Face Unit | 8" | 18" | 6" | 1 | 56 | 64 | 64 | 3600 lb |
| | Trunk Unit | 8" | 24" | 4" | --- | 55 | 64 | --- | 3550 lb |
| | Anchor/Junction Unit | 8" | 12" | 5" | --- | 30 | 96 | --- | 2915 lb |
| | Corner Unit (Reversible) | 8" | 15" | 6" | --- | 52 | 60 | --- | 3150 lb |
| Olde Boston™ Wall | | 4" | 12" | 8" | 3.1 | 28 | 108 | 34.8 | 3060 lb |
| Pisa 2® | Stretcher | 6" | 8" | 12" | 3 | 43 | 80 | 26.7 | 3450 lb |
| | Stretcher Cap Tapered | 6" | 8" | 12" | 1.5/lf (3/sf) | 43 | 80 | 53.3 lf / 26.7 sf | 3450 lb |
| | Half Unit | 6" | 4" | 12" | 6 | 22.5 | 120 | 20 | 2700 lb |
| | Corners - Right & Left | 6" | 8" | 12" | --- | 33 | 80 | --- | 2675 lb |
| Roman Pisa® | Stretcher | 6" | 8" | 12" | 3 | 42 | 80 | 26.7 | 3350 lb |
| | Stretcher Cap Tapered | 6" | 8" | 12" | 1.5/lf (3/sf) | 42 | 80 | 53.3 lf / 26.7 sf | 3350 lb |
| | Half Unit | 6" | 4" | 12" | 6 | 22 | 120 | 20 | 2650 lb |
| | Corner Unit (Reversible) | 6" | 8" | 12" | --- | 32 | 80 | --- | 2595 lb |
| | Jumbo Unit | 6" | 12" | 8" | 2 | 32 | 80 | 40 | 2595 lb |
| Stonewall™ | Curved-Face Stretcher | 8" | 12" | 12" | 1.5 | 50 | 75 | 50 | 3800 lb |
| | Straight-Face Stretcher | 8" | 12" | 12" | 1.5 | 54 | 75 | 50 | 4100 lb |
| | Corner Unit (Reversible) | 8" | 6" | 12" | --- | 37 | 72 | --- | 2700 lb |
| Tumbled Straight-Face Stretcher | | 8" | 12" | 12" | 1.5 | 54 | 75 | 50 | 4100 lb |
| Tumbled Corner Unit (Reversible) | | 8" | 6" | 12" | --- | 37 | 72 | --- | 2700 lb |
| Ancestral™ Coping | Paired set | 3.63" | 16/13" | 13" | 2.16 lf/pr | 98.5/set | 36 pairs | 77.8 lf/23.6 sf | 3590 lb |
| | | 3.63" | 13/10" | 13" | | | | | |
| Roman Pisa® Coping | | 3.63" | 16" | 13" | 1.33 lf/pc | 61 | 63 | 84 lf | 3910 lb |
| Universal Coping Stone | | 3.63" | 16" | 13" | 1.33 lf/pc | 61 | 63 | 84 lf | 3910 lb |

Pavers by Ideal®

Steps with Style™

| Name | STYLE | RISE | SIZE | WT/PC | PCS | WT/PALLET | |
|---------------------------|----------|--------|----------|-------------|-----|-----------|---------|
| Chelmsford™ Step | --- | 7" | 4' x 15" | 430 | 8 | 3460 lb | |
| Rockport™ Step Collection | Pallet 1 | Step C | 5.5" | 4' x 1'6" | 410 | 8 | 3280 lb |
| | Pallet 2 | Step D | 5.5" | 4'6" x 2' | 415 | 8 | 3350 lb |
| | Pallet 3 | Step A | 7" | 3'6" x 1'6" | 350 | 8 | 2800 lb |
| | Pallet 4 | Step C | 7" | 4' x 1'6" | 510 | 8 | 4096 lb |
| | Pallet 5 | Step D | 7" | 4'6" x 2' | 565 | 8 | 4520 lb |
| | Pallet 6 | Step F | 7" | 5' x 1'6" | 600 | 8 | 4800 lb |

• All product sizes are modular based on mold manufacturers' dimensions. Metric sizes have been soft converted to U.S. measurements.

• Square foot coverage of pavers includes allowance for joint sand or stone.

Please contact our Sales Office or your Authorized Dealer for Availability, Pricing, Set-up Charges, Terms and Conditions, and Product Specifications.

Product offerings may change during the year. Please visit www.IdealConcreteBlock.com for the most up-to-date Color and Product Packaging Directory information.

• Boston Colonial Pavers,® Georgetown Colonial Pavers,™ Yankee Cobble,™ MillStone,™ FineLine,™ Town N' Country,™ Newport Cobble,™ Andover Collection,™ Andover 5511,™ StraightLine™ Plank, ScapeStone,™ Olde Boston™ Ancestral™ WallStone and Coping, CastStone,™ Slate-Top Slab,™ CurbStone™ Edging and Chelmsford Step™ are trademarks of Ideal Concrete Block Co.

• Ideal is contracted to produce a number of products under exclusive license agreements: Uni-Decor,® Uni-Anchorlock,® Eco-Stone,® are registered trademarks of F. von Langsdorff Lic. Ltd.

• Symetry® is a registered trademark of Symrah Licensing, Inc. • Pisa2® and Roman Pisa® are registered trademarks of Risi Stone Systems

• Stonewall,™ GravityStone,® Fat Face™ and Fat Face™ 2/3 Scored are registered trademarks of Westblock Products, Inc. • Pave-Edge® is a registered trademark of Pave Tech, Inc. • Snap-Edge™ is a trademark of SEK-Surebond

• Aqua-Bric® is a registered trademark of Advanced Pavement Technology, Inc.

Pavers by Ideal®

Garden Products & Outdoor Living

| Garden Products/Precast | H | W | D | COVERAGE | WT/PC | PCS/CU | SF/CU | WT/CU |
|---------------------------------------|--------------------------|------|-----|-------------------|----------|---------------|------------|---------|
| CurbStone™ Edging | 4" | 12" | 8" | 1/lf | 25 | 90 | 90 lf | 2280 lb |
| Chelmsford™ Pillar Cap | 24" | 24" | 5" | --- | 160 | 8 | --- | 1305 lb |
| Carlisle™ Pillar Cap | 24" | 24" | 3" | --- | 148 | 11 | --- | 1655 lb |
| RockFace CastStone™ Wall Coping | 3" | 48"l | 24" | 4 lf | 245 | 4 | 16 lf | 1005 lb |
| Slate-Top Slab™ | 2.25" | 18" | 18" | 2.25 sf | 52 | 48 | 108 | 2680 lb |
| Outdoor Living Kits | H | W | D | COVERAGE | WT/PC | PCS/CU | ROWS/CU | WT/CU |
| ScapeStone FP™ Block | 4" | 12" | 6" | 11/row | 20 | 110 | 10 rows | 2235 lb |
| Ring-n-Grate | 8" | --- | 30" | Grates 500 sq in. | 67 | --- | --- | --- |
| Round Ring without Grate | 8" | --- | 30" | --- | 34 | --- | --- | --- |
| Square Ring without Grate | 8" | 28" | 28" | --- | 35 | --- | --- | --- |
| CastStone™ Square Fire Pit Coping | 3" h x 10" w x 38.5"l | | | 4 pcs/set | 94 | 12 | 3 sets/cu | 1155 lb |
| CastStone™ Round Fire Pit Coping | 3" h x 7" w x 44.5" o.d. | | | 3 pcs/set | 55 | 12 | 4 sets/cu | 685 lb |
| Patio Table - 32.5" High | POSITION | | | COURSES | QUANTITY | SIZE | HEIGHT/SEC | WEIGHT |
| Square Top | --- | | | --- | 1 | 36" x 36" | 2.375" | 234 lb |
| Olde Boston™ Wall | Horizontal | | | 4 | 16 | 4" x 8" x 12" | 16" | 448 lb |
| | Vertical | | | 1 | 8 | 4" x 8" x 12" | 12" | 224 lb |
| Pub Tables | POSITION | | | COURSES | QUANTITY | SIZE | HEIGHT/SEC | WEIGHT |
| 41" High CastStone™ Octo Top | --- | | | --- | 1 | 42" dia. | 3" | 318 lb |
| Foot Rest | --- | | | --- | 1 | 28.5" x 28.5" | 2.25 | 121 lb |
| Olde Boston™ Wall | Horizontal | | | 6 | 24 | 4" x 8" x 12" | 24" | 672 lb |
| | Vertical | | | 1 | 8 | 4" x 8" x 12" | 12" | 224 lb |
| 45" High CastStone™ Octo Top | --- | | | --- | 1 | 42" dia. | 3" | 318 lb |
| Foot Rest | --- | | | --- | 1 | 28.5" x 28.5" | 2.25 | 121 lb |
| Olde Boston™ Wall | Horizontal | | | 7 | 24 | 4" x 8" x 12" | 28" | 784 lb |
| | Vertical | | | 1 | 8 | 4" x 8" x 12" | 12" | 224 lb |
| 41" High CastStone™ Square Top | --- | | | --- | 1 | 36" x 36" | 2.375" | 234 lb |
| Foot Rest | --- | | | --- | 1 | 28.5" x 28.5" | 2.25 | 121 lb |
| Olde Boston™ Wall | Horizontal | | | 6 | 24 | 4" x 8" x 12" | 24" | 672 lb |
| | Vertical | | | 1 | 8 | 4" x 8" x 12" | 12" | 224 lb |
| 45" High CastStone™ Square Top | --- | | | --- | 1 | 36" x 36" | 2.375" | 234 lb |
| Foot Rest | --- | | | --- | 1 | 28.5" x 28.5" | 2.25 | 121 lb |
| Olde Boston™ Wall | Horizontal | | | 7 | 24 | 4" x 8" x 12" | 28" | 784 lb |
| | Vertical | | | 1 | 8 | 8" x 12" | 12" | 224 lb |

The CastStone™ Round and Square Fire Pit Coping, RockFace Wall Coping, Slate-Top Slab, Octo & Square Tops, Counter and Foot Rest should be handled with care during transport and assembly. Adequate manpower is required to lift and set in place.

A construction-grade retaining wall adhesive, such as SRW® brand, is required for construction.

Natural Stone by Ideal®

Granite with Style™

| Granite Cobblestones | SIZE | PCS/CU | WT/PC | WT/CU | GREY | BLACK | PINK | YELLOW |
|----------------------|---------------|--------|-------|-------|------|-------|------|--------|
| Jumbo | 10" x 7" x 4" | 105 | 27.6 | 2900 | ✓ | ✓ | ✓ | ✓ |
| Regular | 9" x 5" x 5" | 150 | 17.6 | 2650 | ✓ | ✓ | ✓ | ✓ |
| Cube | 4" x 4" x 4" | 500 | 5 | 2500 | ✓ | ✓ | ✓ | ✓ |
| Footlong | 6" x 12" x 3" | 140 | 18 | 2520 | ✓ | | | |
| Landscape | 8" x 8" x 4" | 250 | 10 | 2500 | ✓ | | | |

Weights are approximate.

Pavers by Ideal®

Accessories

| Product Name | Universal 4 ft x 50 ft | 3 Series 6 ft x 150 ft | 5 Series 6ft x 150 ft |
|-------------------------------|------------------------|------------------------|---|
| Geogrid | Universal 4 ft x 50 ft | 3 Series 6 ft x 150 ft | 5 Series 6ft x 150 ft |
| Landscape Fabric - SB3 - 3 oz | 3 ft x 50 ft roll | 6 ft x 100 ft roll | 12 ft x 300 ft roll |
| Soil Stabilization - SS5 | 6 ft x 100 ft roll | 12.5 ft x 432 ft roll | 12.5 ft x 27 ft roll folded (8 per box) |
| SRW® Concrete Adhesive | 10 oz | 12 tubes/case | 64 cases/pallet |
| SRW® Concrete Adhesive | 28 oz | 12 tubes/case | 44 cases/pallet |
| PaveEdge® PRO Rigid/Flex | 7 ft/pc | 84 lf/12 pcs/bundle | 4116 lf/pallet |
| Snap Edge™ | 8 ft/pc | 192 lf/24 pcs/bundle | 672 pcs/5376 lf/pallet |
| PICP Fabric | 6 x 100 ft | 12 x 300 ft | |

| Pavers | | GB | BHB | AB | HB | QB | VB | CR | C | P | CB | OG | RIB |
|--|-------------------------|------|-------------|----|----------------------|-----|-----|-------------------------|---|---|-------------------------|----|-----|
| Andover Collection™ Smooth | 7 cm | | | | | | | | | ◆ | ◆ | ◆ | |
| Andover Collection™ StoneCleft | 7 cm | | | | | | | | | | ◆ | ◆ | ◆ |
| Andover™ GrandStone Smooth | 7 cm | | | | | | | | | ◆ | ◆ | ◆ | |
| Andover™ GrandStone StoneCleft | 7 cm | | | | | | | | | | ◆ | ◆ | ◆ |
| Andover 5511™ C (Clefted) | 7 cm | | | | | | | | | | ◆ | ◆ | ◆ |
| Andover 5511™ CT (Clefted/Tumb) | 7 cm | | | | | | | | | ◆ | ◆ | ◆ | |
| Andover 5511™ Smooth | 7 cm | | | | | | | | ◆ | ◆ | ◆ | ◆ | |
| Aqua-Bric® | 6 cm | | ◆ | | | ◆ | ◆ | | | | | | |
| Aqua-Bric IV® | 8 cm | | ◆ | | | ◆ | ◆ | | | | | | |
| Boston Colonial Pavers® | 6 cm | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | ◆ | | | | |
| | 8 cm | | ◆ | | | ◆ | ◆ | | | | | | |
| BullNose Coping™ Paver | 6 cm | | ◆ | | | ◆ | ◆ | | | | | | |
| FineLine™ | All styles | | ◆ | | | ◆ | ◆ | | | | | | |
| Georgetown Colonial Pavers™ | 6 cm | | ◆ | | | ◆ | ◆ | | | | | | |
| MillStone™ | All styles | | ◆ | | | ◆ | ◆ | | | | | | |
| Newport Cobble™ | Rectangle | | | | | ◆ | ◆ | | | | | | |
| Plaza Pavers™ | All styles | | ◆ | | | | | | | | | | |
| StraightLine™ Plank | 10 cm | | | | | | | | ◆ | ◆ | | ◆ | |
| Symetry® | Master Stone | 6 cm | | ◆ | | | | | | | | | |
| | Square | 6 cm | | ◆ | | ◆ | | | | | | | |
| Town N' Country™ | All styles | 6 cm | | ◆ | | ◆ | ◆ | | | | | | |
| Turfstone™ | 8 cm | | | | | | | | | ◆ | | | |
| Turfstone™ | 10 cm | | | | | | | | | | | | |
| Uni-Anchorlock® | 8 cm | | | | | | | | | | | | |
| Uni-Decor® | 6 cm | | ◆ | | | ◆ | | | | | | | |
| Uni Eco-Stone® | 8 cm | | ◆ | | | | ◆ | | | | | | |
| Yankee Cobble™ | All styles | 6 cm | Sq & Lg R ◆ | ◆ | ◆ | ◆ | ◆ | | | | | | |
| Z-Stone™ | 8 cm | | | | | | | | | | | | |
| Walls & Coping | | | C | P | GG | RWB | VB | QB | | | | | |
| Ancestral™ WallStone | | | | | | ◆ | ◆ | ◆ | | | | | |
| Fat Face™ Standard | | | | | ◆ | | | ◆ | | | | | |
| Fat Face™ - 2/3 Scored | | | | | ◆ | | | ◆ | | | | | |
| GravityStone® | Split Face/Tumbled Face | | | | Split Face | | | Split Face/Tumbled Face | | | Split Face/Tumbled Face | | |
| Olde Boston™ Wall | | | ◆ | ◆ | | | ◆ | ◆ | | | ◆ | | |
| Pisa 2® | | | | | ◆ | | | ◆ | | | | | |
| Roman Pisa® | | | | | | | ◆ | ◆ | | | ◆ | | |
| Stonewall™ & Stonewall™ Straight Face | | | | | Curved/Straight Face | | | Curved/Straight Face | | | Straight Face | | |
| Stonewall™ Tumbled | | | | | | | | ◆ | | | ◆ | | |
| Ancestral™ Coping | | | | | | | | ◆ | | | ◆ | | |
| Roman Pisa® Coping | | | | | | | ◆ | ◆ | | | ◆ | | |
| Universal Coping Stone | | | | | ◆ | | | ◆ | | | ◆ | | |
| Garden Products/Outdoor Living | | | | | VB | QB | RWB | Slate Grey | | | | | |
| CurbStone Edging | | | | | ◆ | ◆ | | | | | | | |
| ScapeStone™ Fire Pit Block | | | | | ◆ | ◆ | | ◆ | | | | | |
| Chelmsford™ Pillar Caps | | | | | | | | | | | | ◆ | |
| Carlise™ Pillar Caps | | | | | | | | | | | | ◆ | |
| CastStone Round & Square Fire Pit Coping | | | | | | | | | | | | ◆ | |
| CastStone Patio/Pub Table Square or Octo Top | | | | | | | | | | | | ◆ | |
| Steps | | | | | Slate Grey | | | Fieldstone Blend | | | | | |
| Chelmsford™ Step | | | | | | ◆ | | | | | | | |
| Rockport™ Step | | | | | | | | | | | ◆ | | |
| Patio Slab | | | CB | | | OG | | | P | | | | |
| Slate-Top Slab™ | | | | ◆ | | | ◆ | | | | | ◆ | |

Manufactured Colors

BHB = Beacon Hill Blend GG = Granite Gray C = Charcoal HB = Harvest Blend QB = Quarry Blend VB = Vineyard Blend OG = Oxford Grey
 CR = Clay Red AB = Autumn Blend GB = Graphite Black RWB = Rosewood Blend P = Pewter CB = Chatham Blend RIB = Richfield Blend

◆ Product is regularly produced in these colors □ Product is available on a Made to Order basis. Call for lead time. □ Product is not available in these colors.

Check with our Sales Office for additional pricing information for products offered on a Made to Order basis or in a Special Color.

Inter-Blend Colors: Inter-Blend Colors are created by mixing our standard colors together at the jobsite.

Adams Blend 2 BHB: 1 CR • Berkley Blend 5 BHB: 1 QB • Charles River Blend 2 CR: 1 AB • City Blend 4 CR:3 BHB
 Copley Blend 7 CR: 3 BHB • Exeter Blend 2 AB: 1 BHB • Gloucester Blend 1 VB: 1 QB • Lexington Blend 3 CR: 2 AB

